

- >Supports MAC address self-learning and auto MDI/MDIX
- >Supports 16K MAC address table
- >48 Gbps Switching Capacity
- >3.5Mbit SDRAM Packet buffer
- >Fanless design to make sure it works quietly without disturbing your family
- >Standard 19-inch steel case
- >Plug and play, no configuration required

Brief:

The netis ST3124G Gigabit Ethernet Rackmount Switch provides 24 10/100/1000Mbps Auto-Negotiation RJ45 ports .It is ideal for the small and medium office use. All ports support Auto MDI/MDIX function, eliminating the need for crossover cables or uplink ports. The 24 Port Gigabit Ethernet Rackmount Switch provides you with high-performance, seamless and standard upgrade to improve your old network to a 1000Mbps network.

www.netis-systems.com

24 Port Gigabit Ethernet Rackmount Switch

ST3124G

Specification:

	Hardware	
Ī	Interface	24 * 10/100/1000Mbps RJ45 port, Auto-Negotiation, Auto MDI/MDIX
	LED	PWR, 1-24 10/100/1000M, 1-24 LINK/ACT
	Power Supply	100-240 V AC/50-60Hz
	Dimensions (L x W x H)	432 x 200 x 44 mm
	Switching Features	
		IEEE 802 3 10Base-T IEEE 802 3u 100Base-TX IEEE 802 3ah 1000BASE-T

_	3	
	Standard	IEEE 802.3 10Base-T, IEEE 802.3u 100Base-TX, IEEE 802.3ab 1000BASE-T, IEEE 802.3x Flow Control, IEEE 802.3az
	Access Method	CSMA/CD
	Transmission Method	Store and Forward
	Data Transmission Rate	10/100Mbps(Half-duplex) 20/200Mbps(Full-duplex)
	Switching Fabric Capacity	48Gbps
	Built-in Buffer	3.5M bits
	Jumbo Frame	9KB
	MAC Address Table	16K, auto-learning & auto-aging

Others	
Certification	FCC, CE, KC, BSMI
Environment	Operating Temperature: 0°C~40°C Storage Temperature: -40°C~70°C Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
Package	1 * ST3124G 1 * Quick Installation Guide 2 * Brackets 1 * Power Cord